

**SIRIM QAS INTERNATIONAL SDN. BHD.**

((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-014675
Licence No : PC004957

Date : 10/02/2026

POSCO YAMATO VINA STEEL JOINT STOCK COMPANY
N1 STREET
PHU MY II IZ PHU MY WARD
78000 PHU MY TOWN
BA RIA VUNG TAU PROVINCE, VIETNAM

Attn : HOANG VAN HAI

Tel No : 8425-43892008

Fax No : -

Dear Sir/Madam,

Product Certification Licence

Product : HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL
Standard : MS EN 10025-2 : 2011

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : AFZALLEH BIN JILLEH
Contact No : 6013-8831566
Email : afzalleh@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

POSCO YAMATO VINA STEEL JOINT STOCK COMPANY
N1 STREET
PHU MY II IZ PHU MY WARD
78000 PHU MY TOWN
BA RIA VUNG TAU PROVINCE, VIETNAM



ACB 001

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL

Please refer to detail in the SCHEDULE



sebagai mematuhi keperluan
as complying with

MS EN 10025-2 : 2011



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 February 2020

Certified Since

Sah Sehingga : 14 February 2027

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 10 February 2026

Issue Date

No Siri : 123384

Serial No

SCHEDULE

POSCO YAMATO VINA STEEL JOINT STOCK COMPANY



Trade Mark : COMPANY ID = POSCO YAMATO VINA STEEL JOINT STOCK COMPANY
 Model : H-BEAM
 Rating : QUALITY DESIGNATION = JR, J0; DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : HEIGHT x WIDTH x WEB THICKNESS x FLANGE THICKNESS (mm) = 100 X 100 X 6 X 8, 125 X 125 X 6.5 X 9, 148 X 100 X 6 X 9, 150 X 150 X 7 X 10, 150 X 75 X 5 X 7, 150 X 75 X 6.5 X 10, 198 X 99 X 4.5 X 7, 200 X 100 X 5.5 X 8, 200 X 200 X 8 X 12, 200 X 204 X 12 X 12, 244 X 175 X 7 X 11, 248 X 124 X 5 X 8, 250 X 125 X 6 X 9, 250 X 250 X 9 X 14, 294 X 200 X 8 X 12, 298 X 149 X 5.5 X 8, 298 X 201 X 9 X 14, 300 X 150 X 6.5 X 9, 300 X 300 X 10 X 15, 300 X 305 X 15 X 15



Trade Mark : COMPANY ID = POSCO YAMATO VINA STEEL JOINT STOCK COMPANY
 Model : H-BEAM
 Rating : QUALITY DESIGNATION = JR, J0; DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : HEIGHT x WIDTH x WEB THICKNESS x FLANGE THICKNESS (mm) = 346 X 174 X 6 X 9, 350 X 175 X 7 X 11, 390 X 300 X 10 X 16, 396 X 199 X 7 X 11, 400 X 200 X 8 X 13, 446 X 199 X 8 X 12, 450 X 200 X 9 X 14, 482 X 300 X 11 X 15, 488 X 300 X 11 X 18, 496 X 199 X 9 X 14, 500 X 200 X 10 X 16, 506 X 201 X 11 X 19, 582 X 300 X 12 X 17, 588 X 300 X 12 X 20, 596 X 199 X 10 X 15, 600 X 200 X 11 X 17, 606 X 201 X 12 X 20, 612 X 202 X 13 X 23, 692 X 300 X 13 X 20, 700 X 300 X 13 X 24



Trade Mark : COMPANY ID = POSCO YAMATO VINA STEEL JOINT STOCK COMPANY
 Model : H-BEAM
 Rating : QUALITY DESIGNATION = JR, J0; DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : HEIGHT (inch) X WIDTH (inch) X UNIT WEIGHT (lbs/ft) = W4 X 4 X 13, W5 X 5 X (16, 19), W6 X 4 X (8.5, 9, 10.4, 12, 16), W6 X 6 X (15, 20, 25), W8 X 4 X (10, 13, 15), W8 X 5½ X (18, 21), W8 X 6½ X (24, 28), W8 X 8 X (31, 35, 40, 48, 58, 67), W10 X 8 X (33, 39, 45), W10 X 10 X (49, 54, 60, 68, 77, 88, 100, 112)

Trade Mark : COMPANY ID = POSCO YAMATO VINA STEEL JOINT STOCK COMPANY
 Model : H-BEAM
 Rating : QUALITY DESIGNATION = JR, J0; DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : HEIGHT (inch) X WIDTH (inch) X UNIT WEIGHT (lbs/ft) = W12 X 8 X (40, 45, 50), W12 X 10 X (53, 58), W12 X 12 X (65, 72, 79, 87, 96, 106, 120, 136, 152, 161, 170, 190, 210), W14 X 6¾ X (30, 34, 38), W14 X 10 X (61, 68, 74, 82), W18 X 7½ X (41, 45, 50, 55, 60, 65, 66, 71), W18 X 11 X (76, 86, 97, 106, 119, 130, 143, 158, 175, 192, 211, 234, 258, 283, 311), W21 X 8¼ X (48, 55, 62, 68, 73, 83, 93), W21 X 12¼ X (101, 111, 122, 132, 147, 166, 182, 201), W24 X 7 X (55, 62)

SIRIM QAS International Sdn. Bhd.
 ((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
 https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan : 14 February 2020

Certified Since

Sah Sehingga : 14 February 2027

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 10 February 2026

Issue Date

No Siri : 123384

Serial No

SCHEDULE

POSCO YAMATO VINA STEEL JOINT STOCK COMPANY



Trade Mark : COMPANY ID = POSCO YAMATO VINA STEEL JOINT STOCK COMPANY
 Model : H-BEAM
 Rating : QUALITY DESIGNATION = JR, J0; DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : HEIGHT (mm) X WIDTH (mm) X UNIT WEIGHT (kg/m) = 203 X 102 X 23
 203 X 133 X (25, 30), 305 X 165 X (40, 46, 54), 356 X 171 X (45, 51, 57, 67), 457 X
 191 X (67, 74, 82, 89, 98), 152 X 152 X (23, 30, 37), 203 X 203 X (46, 52, 60, 71, 86),
 254 X 254 X (73, 89, 107, 132, 167), 305 X 305 X (97, 118, 137, 158, 198, 240, 283)



Trade Mark : COMPANY ID = POSCO YAMATO VINA STEEL JOINT STOCK COMPANY
 Model : H-BEAM
 Rating : QUALITY DESIGNATION = JR, J0; DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : IPE180 (-, 0), IPE200 (-, 0), IPE300 (A, -, 0), IPE360 (A, -, 0), IPE450 (A, -, 0, V),
 IPE500 (A, -, 0, V), IPE160 (-), IPEA180 (-), IPEA200 (-), IPEAA180 (-), IPEAA200 (-
)



Trade Mark : COMPANY ID = POSCO YAMATO VINA STEEL JOINT STOCK COMPANY
 Model : H-BEAM
 Rating : QUALITY DESIGNATION = JR, J0; DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : HE160 (A, AA, B), HE220 (A, AA, B), HE260 (A, AA, B), HE320 (A, AA, B)

End of page